

### **IKO** AE table Inquiry Sheet

**Customer Information (Required)**

Date	
Name	
Company Name	
Address	
Phone	(       )       -
Fax	(       )       -
E-mail	

**Operating Conditions #1 (Please fill out if at all possible)**




Application	
AE Model	<input type="checkbox"/> _A type, <input type="checkbox"/> _B type, <input type="checkbox"/> _C type, <input type="checkbox"/> _D type, <input type="checkbox"/> _E type, <input type="checkbox"/> _F type
Preferred AE Table dimension	W _____ mm , H _____ mm , D _____ mm
Preferred Linear Motion Guide	<b>ML</b> _____ , or _____ .
Motor flange size	NEMA _____ , or _____ (other industry standard)
Part # of motor to be mounted	
Stroke length	_____ [mm]
Load	<input type="checkbox"/> _Light , <input type="checkbox"/> _Medium , <input type="checkbox"/> _Heavy
Lead of lead screw [mm]	
Special operation environment	<input type="checkbox"/> _Yes , <input type="checkbox"/> _No
Special request	

**Mounting condition**

Horizontal

Lateral

vertical



**Load amount and position**



Weight Amount : \_\_\_\_\_

\*Other Load (Please draw in the space below):


Distance Lx : \_\_\_\_\_

Distance Ly : \_\_\_\_\_

Distance Lo : \_\_\_\_\_



**Driving pattern**



Acceleration/Deceleration time (ta=tb) : \_\_\_\_\_ sec

Constant speed time (tc) : \_\_\_\_\_ sec

Positioning time : \_\_\_\_\_ sec

Rest time : \_\_\_\_\_ sec

Maximum Speed (V) : \_\_\_\_\_

Maximum Acceleration (A) : \_\_\_\_\_

Number of strokes : \_\_\_\_\_

# AE Table


Cost effective, **IKO** AE Table

## **IKO** Linear Way type


Smooth, higher load capacity



A type (Standard)



B type (1 track rail)



C type (Low profile)




D type (Long stroke)

## Bushing/Ball bushing type


Cost effective



E type (Standard)



F type (Low profile)



G type (Low profile, ball bushing)



H type (Symmetrical movement)

**IKO** AE table is available to design/modify by **IKO** to meet your requirement.

**IKO** AE table comes with proper motor bracket however without motor bracket is also available.